
HALL-MACK

*Bathroom
Accessories and
Seamless Medicine
Cabinets*

HALLENSCHEID & McDONALD

FACTORY AND GENERAL OFFICES

LOS ANGELES • 1344 WEST WASHINGTON BOULEVARD

SAN FRANCISCO • 1159 HOWARD STREET CHICAGO • 743 N. WELLS STREET

TRADE **HALL-MACK** MARK "Aristocrome"

FORGED BRASS ACCESSORIES

MATERIAL and CONSTRUCTION

All Aristocrome pieces and parts are made of solid brass, polished to a mirror-like surface, nickel plated and then heavily chromium plated. Projecting pieces are forged from rod brass. The process produces a decidedly closer grained and denser metal than sand casting.

The denser metal takes a higher polish and gives a more


brilliant and beautiful chromium finish than ordinary castings.

All recessed shells are drawn seamless from heavy rolled sheets of brass. The flange of all recessed pieces is integral with the body—eliminating all possibility of cracks opening between the flange and the body of the fixture.


INSTALLATION OF PROJECTING ACCESSORIES

"S" TYPE • ATTACHED WITH SCREWS OR TOGGLE BOLTS


U. S. Patent No. 1,989,329



Base Plate



Projecting Part



Complete Fixture


EXCLUSIVE FEATURES:

The base of the fixture is fastened directly and tightly to the wall. Its location can be accurately determined. It provides a large bearing surface against the wall. The projecting part is *locked to the base plate*. It does not


depend for security upon pressure against a wall, but has a definite metal-to-metal lock against the base itself. The projecting part fits accurately into the patented recessed panel of the wall plate. This conceals the installing screws and prevents any possibility of sidewise movement.

"L" TYPE • INSTALLED BY SETTING IN CEMENT


U. S. Patent No. 1,989,329



Base Plate



Projecting Part



Complete Fixture

EXCLUSIVE FEATURES:

The base of the fixture is integral with the cement lug. The lug is not screwed, soldered, or welded on, but is forged in one piece with the base plate. When the base plate is set the location and position of the fixture are accurately determined. This prevents the possibility of the fixture being crooked or out of line when it is assem-

bled later. This is particularly important when installing in tile where the horizontal and perpendicular joint lines emphasize any untrueness of the fixtures. The projecting part is locked to the "L" base plate in exactly the same way as to the "S" plate. After installation the two types are identical in outward appearance.

**SQUARE TOWEL BARS**

No. 390: 7/8-in. Square Chromium Plated Bar

No. 392: 7/8-in. Square Opal Glass Bar

No. 391: 7/8-in. Square Crystal Glass Bar

No. 393: 7/8-in. Square Black Glass Bar

Standard lengths: 18, 24, 30, 36 in. Special lengths and center posts to order.

**ROUND TOWEL BARS**

No. 395: 3/4-in. Round Chromium Plated Bar

No. 396: 3/4-in. Round Crystal Glass Bar

Standard lengths: 18, 24, 30, 36 in. Special lengths and center posts to order.

**GLASS SHELVES**

No. 301: 5-in. Wide Crystal Glass Shelf

No. 303: 5-in. Wide Black Glass Shelf

No. 302: 5-in. Wide Opal Glass Shelf

Standard lengths: 18, 24, 30 in. Special lengths to order.

**GLASS SHELF COMBINATION**

Shelf, Soap Holder, Tumbler and Toothbrush Holder in One Complete Inexpensive Unit

No. 311: 5-in. Wide Crystal Glass Shelf

No. 313: 5-in. Wide Black Glass Shelf

No. 312: 5-in. Wide Opal Glass Shelf

Standard lengths: 18, 24, 30 in. Special lengths to order.

**ROLLER TOWEL BAR***For Paper Towel Rolls*

No. 397: 3/4x12-in. Chromium Plated Roller

Any special length furnished to order.


IMPORTANT: Accessories pictured above are made in two different types and, in ordering, it is necessary to specify the type desired. If fixtures are to be installed with screws or toggle bolts, add "S" to catalog number. If fixtures are to be installed by setting in cement, add "L" to catalog number.

TRADE **HALL-MACK** MARK *"Aristocrôme"*

RECESS TYPE ACCESSORIES

CONCEALED LAVATORY UNIT

U. S. Patent No. 2,039,065



No. 338—Open



No. 338—Turning



No. 338—Closed

An entirely new idea in a fixture to hold soap, tumbler and tooth brushes. The panel revolves so as to entirely conceal the tooth brushes, soap and tumbler when not in use. Turns at a touch of the finger.

MADE IN TWO TYPES

No. 338L: Installed by setting in cement.

No. 338-S: Installed by wood screws through the side. Wood buck must be provided at either side of wall opening to take screws.


Wall opening for both types: $6\frac{5}{8} \times 8\frac{3}{8} \times 3\frac{1}{2}$ in.

Dimensions of both types over-all of the flange: $7\frac{1}{2} \times 8\frac{3}{4}$ in.


RECESS MIRROR SHELVES




No. 407



No. 405



No. 406




No. 407

Num-ber	Wall opening, in.	Over-all of chromium plated flange, in.	Usually installed	Installed by wood screws
405	$17\frac{1}{4} \times 8\frac{1}{4} \times 4\frac{1}{2}$	$17\frac{1}{2} \times 8\frac{3}{4}$	Over lavatory	Through sides
406	$25\frac{1}{2} \times 8\frac{1}{4} \times 4\frac{1}{2}$	$25\frac{3}{4} \times 8\frac{3}{4}$	Over bathtub	Through sides
407	$8\frac{1}{4} \times 25\frac{1}{2} \times 4\frac{1}{2}$	$8\frac{1}{2} \times 25\frac{3}{4}$	At sides of cabinet or where desired	Through sides


One or more of these mirrored shelves add strikingly modern beauty to any bathroom. Their decorative value as well as their utility cannot be exaggerated. No. 407 is shown twice to suggest its use as a pair, one on either

side of the medicine cabinet. It is just as striking used singly—wherever a decorative and colorful niche is desired.




PAPER HOLDER

No. 375: Chromium Roller
No. 376: Black Wood Roller




SPONGE HOLDER

No. 355: Self-draining



SOAP AND GRAB

No. 365: Crystal Soap Tray Is Removable for Easy Cleaning




SOAP HOLDER

No. 325: Crystal Soap Tray Is Removable for Easy Cleaning



TUMBLER HOLDER

No. 345: Tumbler Not Included




SOAP, TUMBLER AND
TOOTH BRUSH HOLDER


No. 335: A Complete Lavatory Unit in One Fixture

Non-draining glass trays for Nos. 325, 335, 365 are carried in stock and will be furnished instead of regular tray when specified.

All recessed accessories illustrated on this page, except No. 378, are 6 1/8 in. square, over all of the flange, and take a wall opening of 5 1/2 x 5 1/2 x 2 in.



"L" Type • For Setting in Cement



"S" Type • Installed with Screws



PAPER HOLDER

No. 378: For Folded Paper

Size Overall: 4 3/4 x 6 in.

Wall Opening: 4 1/2 x 5 1/2 x 2 in.

IMPORTANT: Accessories pictured above are made in two different types and, in ordering, it is necessary to specify the type desired. If fixtures are to be installed with screws or toggle bolts, add "S" to catalog number. If fixtures are to be installed by setting in cement, add "L" to catalog number.

TRADE **HALL-MACK** MARK "Aristocrôme"

TOWEL SUPPLY SHELVES




No. 610: 9-in. Projection. Cast Brass Brackets.
Concealed Screw or Cement Installation

Specify "S" or "L" Type When Ordering.




No. 410: 8-in. Projection. Wrought Brass Brackets
Exposed Screw Installation Only



No. 615: 9-in. Projection. Cast Brass Brackets
Concealed Screw or Cement Installation

Specify "S" or "L" Type When Ordering.



No. 415: 8-in. Projection. Wrought Brass Brackets
Exposed Screw Installation Only

TOWEL SUPPLY SHELVES WITH BAR

Standard lengths of all shelves pictured above: 18, 24, 30 in. Special lengths to order.


Bathroom Cabinet Installation Data . . .

ALL HALL-MACK Seamless Cabinets should be installed after the walls are completely finished. Installation is by four wood screws through the sides of the recessed case.

Leave wall opening of size indicated in catalog. Finish wall level to edge of opening. Tile not flush with plaster line must either completely surround the wall opening, or may be dropped below opening, keeping 2 in. or more away from wall opening at all points.

ROUND CABINETS

To facilitate the installation of HALL-MACK Circular Cabinets (pages 10 and 11), four curved wood blocks are furnished free, and packed with each cabinet. To use these blocks, simply make a wall opening 20½ in. square, and nail a block in each corner before lathing. Finish wall to edge of circular opening created by the blocks.



TRADE **HALL-MACK** MARK*"Seamless"***LIFETIME PORCELAIN
BATHROOM CABINETS**

EVERY Hall-Mack Cabinet is built strong and sturdy—*without a single seam.* Drawn on a huge press from a single sheet of steel, the cabinet is formed complete in this operation. There is absolutely no clinching, crimping, spot-welding, soldering or gas welding.


**THE ADVANTAGES OF
HALL-MACK SEAMLESS CONSTRUCTION**

1. The definite assurance of rigid, substantial cabinet bodies.


2. Freedom from upkeep, year after year. No seams to open up and spoil the finish. No clinchings or weldings to become loose and need repair.

3. Utmost sanitary protection for the contents of the cabinet. No crevices to collect germs and dirt. Corners are rounded for easy and thorough cleaning.

In addition to these advantages, Hall-Mack Seamless Cabinets have another important feature—*they are moderate in price.*

SEAMLESS *Porcelain* **INTERIOR**


WITH *Chrome Frame* MIRROR



Number	Mirror, in.	Wall opening, in.
P1626C	16 x 26	14 x 20 x 4
P1830C	18 x 30	16 x 24 x 4
P2034C	20 x 34	18 x 28 x 4



Number	Mirror, in.	Wall opening, in.
PR24C	24	20½ diam. (See page 8)




Number	Mirror, in.	Wall opening, in.
P1622C	16 x 22	14 x 20 x 4
P1826C	18 x 26	16 x 24 x 4
P2030C	20 x 30	18 x 28 x 4

WITH *Reflector Lights* • WITH *Vanity Lights*




Number	Mirror, in.	Width overall, in.	Wall opening, in.
LP1826C	18 x 26	23	16 x 24 x 4



Number	Door mirror, in.	Wing mirrors, in.	Wall opening, in.
LWP1826C	18 x 26	8 x 26	16 x 24 x 4
WP1826C	Same as above—without lights		

WITH *Beveled Edge* MIRROR



Number	Mirror, in.	Wall opening, in.
P1622	16 x 22	14 x 20 x 4
P1826	18 x 26	16 x 24 x 4
P2030	20 x 30	18 x 28 x 4

Number	Mirror, in.	Wall opening, in.
PR24	24	20½ diam. (See page 8)


The etched mirrors at left and right can be furnished plain (without etching) if desired.

Number	Mirror, in.	Wall opening, in.
P1626	16 x 26	14 x 20 x 4
P1830	18 x 30	16 x 24 x 4
P2034	20 x 34	18 x 28 x 4

THE *Hotel Cabinet*

Finished in Lifetime Porcelain, this cabinet is especially designed for first-class installation. Its mirror door is bound on four sides with chromium-plated brass channel. Equipped with slot for discarded razor blades.

This cabinet is also furnished in baked enamel finish. See page following.



Number	Mirror, in.	Wall opening, in.
P1616C	16 x 16	14 x 20 x 4
P1819C	18 x 19	16 x 24 x 4

SPECIAL FEATURES

THE SEAMLESS CABINETS

All cabinets on this and the opposite page are drawn seamless from one piece of metal—without any clinching, crimping, soldering or welding.

If desired, the mirrors on any models pictured can be furnished with mitre lines.

The models shown on page 10 have their mirror doors bound with chromium-plated brass channel.

Wiring installation data for the electrically lighted cabinets furnished on request.



THE PORCELAIN INTERIORS

The interiors of the models pictured are finished in triple-fired vitreous porcelain—the same as on a bathtub. This finish is thoroughly cleaned with a damp cloth and will last indefinitely. It affords complete sanitary protection to the contents of the cabinet.

TRADE **HALL-MACK** MARK *"Seamless"*

BAKED ENAMEL CABINETS

WITH *Chrome Frame* MIRROR




HOTEL CABINET

Number	Mirror, in.	Wall opening, in.
1624C	16 x 24	14 x 20 x 4
1828C	18 x 28	16 x 24 x 4

Number	Mirror, in.	Wall opening, in.
1622C	16 x 22	14 x 20 x 4
1826C	18 x 26	16 x 24 x 4

Number	Mirror, in.	Wall opening, in.
1616C	16 x 16	14 x 20 x 4
1819C	18 x 19	16 x 24 x 4

WITH *Plain Edge* MIRROR



At Left:

Number	Mirror, in.	Wall opening, in.
1622A	16 x 22	14 x 20 x 4

At Right:

Number	Mirror, in.	Wall opening, in.
1624A	16 x 24	14 x 20 x 4



WITH *Beveled Edge* MIRROR




At Left:

Number	Mirror, in.	Wall opening, in.
1622	16 x 22	14 x 20 x 4
1826	18 x 26	16 x 24 x 4

At Right:

Number	Mirror, in.	Wall opening, in.
1624	16 x 24	14 x 20 x 4
1828	18 x 28	16 x 24 x 4



SPECIAL FEATURES

THE SEAMLESS CABINETS

The models pictured above and on the opposite page are drawn seamless from one piece of metal—without any clinching, crimping, soldering or welding.

The first two models at the top of the opposite page have chrome binding on the bottom and sides of the mirror. The Hotel Cabinet (upper right on page 12) has its

mirror door bound on four sides with chromium-plated brass channel.

THE BAKED ENAMEL FINISH

The interiors of the cabinets pictured above and on the opposite page are finished with three coats of oven-baked enamel. This finish is recommended for lower priced jobs. The Hotel Cabinet, however, is also finished in Lifetime Porcelain; see page 11.

Lumiline BATHROOM LIGHTS . .

These lights are especially designed for use with any Hall-Mack Cabinet. They furnish exceptionally fine light for shaving or make-up—without glare or shadows.

Base of modern design is brass, chromium-plated. Wall switch control. Gem box required.

DIMENSIONS:

No. L-12: $2\frac{1}{4} \times 12\frac{3}{4}$ in.

No. L-18: $2\frac{1}{4} \times 18\frac{3}{4}$ in.



HALL-MACK

*Bathroom Accessories
and Seamless
Medicine Cabinets*

HALL-MACK Aristocrome Accessories of chromium plated forged brass and HALL-MACK Seamless Porcelain Cabinets are smart . . . but not expensive. Produced in large quantities and distributed throughout the nation, they are competitive in price with lines far less attractive.

HALLENSCHIED & McDONALD

FACTORY AND GENERAL OFFICES

LOS ANGELES • 1344 WEST WASHINGTON BOULEVARD

SAN FRANCISCO • 1159 HOWARD STREET CHICAGO • 743 N. WELLS STREET
